TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

# **PT-2020P-PQ**

(RoHS)

DATE:2006.07.01


### 1. Electrical Characteristics

VER .:1

Resonant Frequency (KHz)	$2.0 \pm 0.5$	
Operating Voltage (Vp-p/max)	30	
Rated Voltage (Vp-p)	5.0	
Current Consumption (mA/max)	1.5 at Rated Voltage	
Sound Pressure Level (dB/min)	80 at 10cm at Rated Voltage	
Capacitance (pF)	25,000 ± 30% at 120 Hz	
Operating Temperature (°C)	-20 ~ +100	
Storage Temperature (°C)	-30 ~ +110	
Wave soldering conditions (°C)	$245\pm5^{\circ}$ C for $3\pm0.5$ seconds.	
Manual soldering conditions (°C)	350±20°C / within 5sec	

PS: Vp-p=1/2duty, square wave

## 2 . Typical Frequency Response Curve




TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

## 3 . Dimensions and Material

## 3-1 Shape



### 3-2 Material

Housing	PBT1200 UL94HB plastic resin (Color : Black)
Leading Pin	Tin Plated Brass
Weight (Gram)	2.4

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C


#### 4. TESTING METHOD

#### · Standard Measurement conditions


Temperature:25 $\pm$ 2 C Humidity:45-60%

#### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



In the measuring test, buzzer is placed as follows:





TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### 5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +100 ${\mathcal C}$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^{\circ}\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation. (at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	

### 6. PACKAGE METHOD

< 1 > 400pcs per box , Total 10 boxes per carton , total 4000pcs carton; Volume: L\*W\*H=510\*330\*300mm

<2> RoHS Mark

