

VENTILATORI **Ve**

VENTILATORI DC
VENTILATORI AC
ZAŠTITNE MREZICE




DC
Tehnički podaci:

 Radni napon: 5, 12 V DC \pm 15%


Temperaturni opseg: -10 ... +70°C

17x17x8


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
0517	34,00	5	1,10	27	0,15	0,75	15000


20x20x10


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
0501	20,00	5	1,10	25,5	0,10	0,5	14000


25x25x10


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
0502	28,00	5	3,4	24,0	0,06	0,72	10000
1202	28,00	12	3,4	24,0	0,06	0,72	10000


30x30x10

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
0503	28,00	5	5,09	27,0	0,18	0,9	8000
1203	28,00	12	5,09	20,5	0,07	0,8	8000


35x35x10

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1235	28,00	12	8,8	25	0,07	0,8	7500


 U_{nom} = Nominalni napon, P_{vazd} = Vazдушna snaga, I = Struja,
 P_{el} = Električna snaga

 18000 Niš, Jovana Ristića 7, P.O.Box 135, Tel: 018 / 520-455, 522-814, 522-965, fax: 522-660
<http://www.MGelectronic.co.yu> e-mail: office@MGelectronic.co.yu


DC
Tehnički podaci:

Radni napon: 5, 12, 24 V DC ±15%


Temperaturni opseg: -10 ... +70°C

40x40x10


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
0504	10,00	5	9,51	24,0	0,11	0,6	6000±1000
1204	10,00	12	9,51	24,0	0,05	0,6	6000±1000


40x40x20


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1204A	12,00	12	11,04	25,5	0,07	0,9	6000±1000
2404A	12,00	24	11,04	25,5	0,05	1,2	6000±1000


45x45x10


Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1245	12,00	12	11,89	27,0	0,06	0,7	5200±1000


50x50x10

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1205	12,00	12	14,49	26,0	0,09	1,1	4500±700



52x52x15

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1252	12,00	12	21,06	27,0	0,14	1,7	5000±700
2452	12,00	24	21,05	27,0	0,08	1,9	5000±700


55x55x10

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1255	12,00	12	22,1	31	0,08	1,0	5400±700

U_{nom} = Nominalni napon, P_{vazd} = Vazдушna snaga, I = Struja,
 P_{el} = Električna snaga



DC


Tehnički podaci:

Radni napon: 12, 24 V DC ± 15%

Temperaturni opseg: -10 ... +70°C


60x60x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1206	14,00	12	36,85	34,0	0,19	2,3	4500 ± 400
2406	15,00	24	36,85	34,0	0,11	2,6	4500 ± 400




80x80x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1208	10,00	12	70,81	34,0	0,22	2,64	3000 ± 250
2408	12,00	24	70,81	34,0	0,15	3,6	3000 ± 250




92x92x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1209	12,00	12	84,90	33,0	0,23	2,8	3200 ± 250
2409	13,00	24	84,90	35,0	0,12	2,88	2800 ± 250




120x120x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1212	28,00	12	149,4	44	0,45	5,4	3000 ± 250
2412	28,00	24	149,4	44	0,25	6,0	3000 ± 250



120x120x38

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
1212A	28,00	12	181,7	41	0,57	6,8	3000 ± 250
2412A	28,00	24	181,7	41	0,31	7,4	3000 ± 250



U_{nom} = Nominalni napon, P_{vazd} = Vazдушna snaga, I = Struja,
P_{el} = Električna snaga

18000 Niš, Jovana Ristića 7, P.O.Box 135, Tel: 018 / 520-455, 522-814, 522-965, fax: 522-660
http://www.MGelectronic.co.yu e-mail: office@MGelectronic.co.yu


AC

Tehnički podaci:

Radni napon: 230 V 50 Hz
Opseg radnog napona: 185 ... 245 V
Temperaturni opseg: -10 ... +70°C


80x80x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2208	28,00	220	28,9	29	0,07	14	2350




80x80x38

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2208A	28,00	220	39,0	31	0,07	14	2300




92x92x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2209	28,00	220	49,2	36	0,07	14,5	2250




120x120x25

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2212	28,00	220	108,7	43	0,09	19	2000



120x120x38

Tip	Cena	U _{nom} (V)	P _{vazd} (m ³ /h)	Šum (dBA)	I (A)	P _{el} (W)	Br. Obrt. (O/min)
2212A	28,00	220	161,3	44	0,14	22	2700



U_{nom} = Nominalni napon, P_{vazd} = Vazдушna snaga, I = Struja,
P_{el} = Električna snaga

18000 Niš, Jovana Ristića 7, P.O.Box 135, Tel: 018 / 520-455, 522-814, 522-965, fax: 522-660
http://www.MGelectronic.co.yu e-mail: office@MGelectronic.co.yu


VENTILATORI

VE


ZAŠTITNE MREZICE

VEMR

METALNE VEMRM



Tip	Cena	Za ventilatore
04	3,00	40x40
06	3,20	60x60
08	3,50	80x80
09	3,80	92x92
12	4,00	120x120



PLASTIČNE VEMRP

Tip	Cena	Za ventilatore	A x A (mm)	B (mm)
06	2,40	60x60	31,4	
08	2,60	80x80	53,6	
09	2,80	92x92	76,0	
12	3,00	120x120	115,6	

